



Aoke Botai COVID-19 Neutralizing Antibody ELISA Test

positive serum: 1-11
unknown serum: 12-24
negative QC: 26-29
positive QC: 30-31
none: 32



		OD	Inhibition Rate	Result
vaccinated 1	168	0.011	99%	+
vaccinated 2	169	0.122	92%	+
vaccinated 3	174	0.009	99%	+
vaccinated 4	182	0.121	92%	+
vaccinated 5	191	0.012	99%	+
vaccinated 6	196	0.127	92%	+
vaccinated 7	205	0.192	87%	+
vaccinated 8	212	0.143	91%	+
vaccinated 9	212	0.160	89%	+
vaccinated 10	219	0.334	78%	+
vaccinated 11	220	0.024	98%	+
Non-vaccinated	unknown 1	1.103	28%	-
	unknown 2	1.126	26%	-
	unknown 3	1.365	11%	-
	unknown 4	1.297	15%	-
	unknown 5	1.191	22%	-
	unknown 6	1.118	27%	-
	unknown 7	1.709	-12%	-
	unknown 8	1.652	-8%	-
	unknown 9	1.552	-2%	-
	unknown 10	1.697	-11%	-
	unknown 11	1.683	-10%	-
	unknown 12	1.630	-7%	-
	unknown 13	1.237	19%	-
Quality control	negative	1.637	-7%	
	negative	1.579	-3%	
	negative	1.420	7%	
	negative	1.469	4%	
	positive	0.044		
positive	0.050			

1.526